

EAB-5	EAST SIDE NORTH WING	GF-	IPC - 11	DR. ATANU	1800 mm REGULAR FUME HOOD	7	2	0	250	0	900	0	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30						
					GLOVE BOX			---	---	---	---	---	1	150	150						
		FF-	IPC - 9	DR. NETHAJI	VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300						
					1800 mm REGULAR FUME HOOD			3	250	750	900	2700	---	---	---						
					SNORKEL			---	---	---	---	---	1	100	100						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300						
		SF-	OC - 9	DR. MRINMOY DE	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
					GLOVE BOX			---	---	---	---	---	1	150	150						
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300						
		TF-	OC - 7	DR. S. BHATTACHARYA	1800 mm REGULAR FUME HOOD			3	250	750	900	2700	---	---	---						
					SNORKEL			---	---	---	---	---	1	100	100						
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300						
EAB-5										2250		8100			2190	5	4440	10290	10290	16.09	18.50
EAB-6	EAST SIDE SOUTH WING	GF-	IPC - 11	DR. DAS	1200 mm REGULAR FUME HOOD	10	0	1	150	150	600	600	---	---	---						
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30						
		FF-	IPC - 9	DR. A R. CHAKRAVARTY	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						
					SNORKEL			---	---	---	---	---	2	100	200						
		SF-	OC - 9	DR. MRINMOY DE	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						
		TF-	OC - 7	DR. S. BHATTACHARYA	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						
					SNORKEL			---	---	---	---	---	2	100	200						
EAB-6										2400		8700			810	5	3210	9510	9510	13.39	15.00
EAB-7	WEST SIDE NORTH WING	GF-	IPC - 12	DR. ARUNAN	1800 mm REGULAR FUME HOOD	8	1	0	250	0	900	0	---	---	---						
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300						
		FF-	IPC - 10	DR. AGS	1800 mm REGULAR FUME HOOD			3	250	750	900	2700	---	---	---						
					SNORKEL			---	---	---	---	---	1	100	100						
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30						
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300						
		SF-	OC - 10	DR. UDAY MAITRA	1800 mm REGULAR FUME HOOD			3	250	750	900	2700	---	---	---						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						
					SNORKEL			---	---	---	---	---	1	100	100						
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300						
		TF-	OC - 8	FUTURE LAB	1800 mm REGULAR FUME HOOD			3	250	750	900	2700	---	---	---						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						
					SNORKEL			---	---	---	---	---	1	100	100						
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300						
EAB-7										2250		8100			1650	5	3900	9750	9750	13.72	15.00
EAB-8	WEST SIDE SOUTH WING	GF-	IPC - 12	DR. ARUNAN		8	0														
		FF-	IPC - 10	DR. GEETHA	1800 mm REGULAR FUME HOOD			1	250	250	900	900	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30						
		SF-	OC - 10	DR. UDAY MAITRA	GLOVE BOX			---	---	---	---	---	1	150	150						
					1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
		TF-	OC - 8	FUTURE LAB	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
EAB-8										2000		7200			780	5	2780	7980	7980	12.48	15.00
	"C" TOP																				
EAB-9	EAST SIDE NORTH WING	GF-	OC / IPC	HEAVY EQUIPMENTS		9	0														
		FF-	OC - 5	DR. T K. CHAKRABARTY	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						
		SF-	OC - 3	DR. K R. PRABHU	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						
		TF-	OC - 1	DR. A T. BIJU	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---						
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---						
					SNORKEL			---	---	---	---	---	2	100	200						
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60						

EAB-9																										
EAB-10	EAST SIDE SOUTH WING	GF-	OC / IPC	HEAVY EQUIPMENTS		9	0																			
					VENT POINT FOR STORE ROOM																					
		FF-	OC - 5	DR. T K. CHAKRABARTY	1500 mm REGULAR FUME HOOD																					
					1800 mm REGULAR FUME HOOD																					
					SNORKEL																					
					VENT POINT FOR STORE ROOM																					
					1500 mm REGULAR FUME HOOD																					
		SF-	OC - 3	DR. K R. PRABHU	1800 mm REGULAR FUME HOOD																					
					SNORKEL																					
					VENT POINT FOR STORE ROOM																					
					1500 mm REGULAR FUME HOOD																					
					1800 mm REGULAR FUME HOOD																					
		TF-	OC - 1	DR. A T. BIJU	SNORKEL																					
					VENT POINT FOR STORE ROOM																					
					1800 mm REGULAR FUME HOOD																					
2100 mm FUME HOOD																										
SNORKEL																										
EAB-10																										
EAB-11	WEST SIDE NORTH WING	GF-	OC - 11	DR. ENP	1800 mm REGULAR FUME HOOD	12	0	2	250	500	900	1800														
					2100 mm FUME HOOD			1	250	250	900	900														
					SNORKEL																					
					SOLVENT STORAGE CABINET																					
		FF-	OC - 6	DR. N. JAYARAMAN	1500 mm REGULAR FUME HOOD																					
					1800 mm REGULAR FUME HOOD																					
					SNORKEL																					
					SOLVENT STORAGE CABINET																					
		SF-	OC - 4	DR. SANTANU MUKHERJEE	1800 mm REGULAR FUME HOOD																					
					2100 mm FUME HOOD																					
					SNORKEL																					
					SOLVENT STORAGE CABINET																					
		TF-	OC - 2	DR.K R. PRASAD	GLOVE BOX																					
					1800 mm REGULAR FUME HOOD																					
					SNORKEL																					
					SOLVENT STORAGE CABINET																					
EAB-11																										
EAB-12	WEST SIDE SOUTH WING	GF-	OC - 11	DR. ENP	1800 mm REGULAR FUME HOOD	12	0	3	250	750	900	2700														
					SNORKEL																					
					VENT POINT FOR STORE ROOM																					
		FF-	OC - 6	DR. N. JAYARAMAN	1500 mm REGULAR FUME HOOD																					
					2100 mm FUME HOOD																					
					SNORKEL																					
					VENT POINT FOR STORE ROOM																					
		SF-	OC - 4	DR. SANTANU MUKHERJEE	1800 mm REGULAR FUME HOOD																					
					2100 mm FUME HOOD																					
					SNORKEL																					
					VENT POINT FOR STORE ROOM																					
		TF-	OC - 2	DR.K R. PRASAD	1800 mm REGULAR FUME HOOD																					
					2100 mm FUME HOOD																					
					SNORKEL																					
					VENT POINT FOR STORE ROOM																					
EAB-12																										
	"A" BOTTOM																									
EAB-13	EAST SIDE NORTH & SOUTH WING	GF-	SSCU - 3	DR. N. PHANI WET LAB	1500 mm REGULAR FUME HOOD	3	3	1	200	200	750	750														
				DR. N. PHANI CLEAN ROOM	1800 mm REGULAR FUME HOOD			1	250	250	900	900														
				DR. N. PHANI MAIN LAB	SOLVENT STORAGE CABINET																					
					GLOVE BOX																					
					PLD SYSTEM																					
				INSTRUMENTATION STORE ROOM	ISOLATOR																					
					VENT POINT FOR STORE ROOM																					
					1800 mm REGULAR FUME HOOD																					
		GF-	SSCU - 3	DR. V. JAYARAM	SOLVENT STORAGE CABINET																					
					1800 mm REGULAR FUME HOOD																					
		FF-	SSCU - 1	DR. DDS	SNORKEL																					
					SOLVENT STORAGE CABINET																					
					VENT POINT FOR STORE ROOM																					
					SNORKEL																					
		FF-	SSCU - 1	DR. SR THEORY	1800 mm REGULAR FUME HOOD																					
		SF-	IPC THEORY	FUTURE	VENT POINT FOR STORE ROOM																					
		SF-	IPC THEORY	DR. UPENDRA HARBOLA																						
		TF-	SSCU THEORY	DR. YASHONATH	VENT POINT FOR STORE ROOM																					

		TF-	SSCU THEORY	FUTURE FACULTY																		
EAB-13										1450		5250		2170	5	3620	7420	7420	10.44	11.00		
EAB-14	WEST SIDE NORTH & SOUTH WING	GF-	SSCU - 4	ISOLATED AREA	VENT POINT FOR STORE ROOM	6	0	---	---	---	---	---	2	300	600							
					1800 mm REGULAR FUME HOOD			0	250	0	900	0	---	---	---							
		GF-	SSCU - 4	DR. ANSHU PANDEY	1500 mm REGULAR FUME HOOD			3	200	600	750	2250	---	---	---							
					SNORKEL			---	---	---	---	---	1	100	100							
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60							
					GLOVE BOX			---	---	---	---	---	2	150	300							
		FF-	SSCU - 2	DR. SP (AIRLOCK)	1800 mm REGULAR FUME HOOD			0	250	0	900	0	---	---	---							
				DR. SP INSTRUMENT ROOM	SNORKEL			---	---	---	---	---	1	100	100							
				DR. SP INSTRUMENT STORE	VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
		FF-	SSCU - 2	DR. AKS	1800 mm REGULAR FUME HOOD			2	250	500	900	1800	---	---	---							
					2100 mm FUME HOOD			1	250	250	900	900	---	---	---							
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60							
					SNORKEL			---	---	---	---	---	2	100	200							
				DR. AKS INSTRUMENT ROOM	SNORKEL			---	---	---	---	---	1	100	100							
		SF-	IPC THEORY	DR. BINNY INSTRUMENT STORE	VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
		SF-	IPC THEORY	DR. SAI RAMESH																		
		TF-	SSCU THEORY	DR. G REDDY	VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
		TF-	SSCU THEORY	DR. B. BAGCHI																		
EAB-14										1350		4950		2420	5	3770	7370	7370	10.37	11.00		
	"C" BOTTOM																					
EAB-15	EAST SIDE NORTH & SOUTH WING	GF-	SSCU - 5	HEAVY EQUIPMENT		5	2															
		GF-	SSCU - 5	HEAVY EQUIPMENT																		
		FF-	SSCU - 6	DR. S. NATRAJAN	VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
					1800 mm REGULAR FUME HOOD			3	250	750	900	2700	---	---	---							
					SNORKEL			---	---	---	---	---	2	100	200							
		FF-	SSCU - 6	DR. C. SHIVA KUMAR	SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60							
					SNORKEL			---	---	---	---	---	2	100	200							
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30							
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
		SF-	SSCU - 8	DR. ABHISHEK MONDAL	1800 mm REGULAR FUME HOOD			1	250	250	900	900	---	---	---							
					2100 mm FUME HOOD			1	250	250	900	900										
					SNORKEL			---	---	---	---	---	2	100	200							
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60							
		SF-	SSCU - 8	DR. TNG	SNORKEL			---	---	---	---	---	1	100	100							
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30							
					SNORKEL			---	---	---	---	---	2	100	200							
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30							
		TF-	IPC - 13	UNALLOTTED	1800 mm REGULAR FUME HOOD			1	250	250	900	900	---	---	---							
					1800 mm REGULAR FUME HOOD			1	250	250	900	900	---	---	---							
		TF-	IPC - 13	UNALLOTTED	VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
EAB-15										1750		6300		2310	5	4060	8610	8610	12.12	15.00		
EAB-16	WEST SIDE NORTH WING	GF-	IPC / SSCU	SHARED SPACE		4	0															
		FF-	SSCU - 7	TNG WET SPACE	SNORKEL			---	---	---	---	---	1	100	100							
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30							
					GLOVE BOX			---	---	---	---	---	4	150	600							
		SF-	SSCU - 9	FUTURE	1800 mm REGULAR FUME HOOD			1	250	250	900	900	---	---	---							
EAB-17	WEST SIDE SOUTH WING	TF-	IPC - 14	UNALLOTTED	SNORKEL	5	2	---	---	---	---	---	2	100	200							
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60							
		FF-	SSCU - 7	DR. A. J. BHATTACHARYA	1800 mm REGULAR FUME HOOD			3	250	750	900	2700	---	---	---							
					VENT POINT FOR STORE ROOM			---	---	---	---	---	---	---	---							
					SNORKEL			---	---	---	---	---	1	100	100							
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30							
		SF-	SSCU - 9	DR. G. DESIRAJU	VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
					SNORKEL			---	---	---	---	---	1	100	100							
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
					SOLVENT STORAGE CABINET			---	---	---	---	---	1	30	30							
		TF-	IPC - 14	UNALLOTTED	1800 mm REGULAR FUME HOOD			1	250	250	900	900	---	---	---							
					VENT POINT FOR STORE ROOM			---	---	---	---	---	1	300	300							
					SNORKEL			---	---	---	---	---	2	100	200							
					SOLVENT STORAGE CABINET			---	---	---	---	---	2	30	60							
					1800 mm REGULAR FUME HOOD			3	250	750	900	2700	---	---	---							

EAB-17																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
--------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

5	SOUTH WING	SF-	IPC THEORY	DR. UPENDRA HARBOLA																		
		TF-	SSCU THEORY	DR. YASHONATH																		
		TF-	SSCU THEORY	FUTURE FACULTY																		
SCB-13								1200		4350			0	8	1200	4350	4350	9.80	11.00			
SCB-14	WEST SIDE NORTH & SOUTH WING	GF-	SSCU - 4	ISOLATED AREA	---	2	1	---	---	---	---	---	---	---								
		GF-	SSCU - 4	DR. ANSHU PANDEY	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		FF-	SSCU - 2	DR. SP LAB	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		FF-	SSCU - 2	DR. AKS	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		SF-	IPC THEORY	DR. BINNY	---			---	---	---	---	---	---	---	---							
		SF-	IPC THEORY	DR. SAI RAMESH	---			---	---	---	---	---	---	---	---							
		TF-	SSCU THEORY	DR. G REDDY	---			---	---	---	---	---	---	---	---							
		TF-	SSCU THEORY	DR. B. BAGCHI	---			---	---	---	---	---	---	---	---							
SCB-14								750		2700			0	8	750	2700	2700	6.76	7.50			
	"C" BOTTOM																					
SCB-15A	EAST SIDE NORTH WING	GF-	SSCU - 5	HEAVY EQUIPMENT	1500 mm ACID FUME HOOD	4	0	1	200	200	750	750	---	---	---							
		FF-	SSCU - 6	DR. S. NATRAJAN	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		SF-	SSCU - 8	DR. ABHISHEK MONDAL	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		TF-	IPC - 13	UNALLOTTED	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
SCB-15A								950		3450			0	8	950	3450	3450	7.77	9.30			
SCB-15B	EAST SIDE SOUTH WING	GF-	SSCU - 5	HEAVY EQUIPMENT	1500 mm ACID FUME HOOD	6	0	1	200	200	750	750	---	---	---							
		FF-	SSCU - 6	DR. C. SHIVA KUMAR	1800 mm ACID FUME HOOD			2	250	500	900	1800	---	---	---							
		SF-	SSCU - 8	DR. A. GOVINDARAJ	1800 mm ACID FUME HOOD			2	250	500	900	1800	---	---	---							
		TF-	IPC - 13	UNALLOTTED	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
SCB-15B								1450		5250			0	8	1450	5250	5250	11.82	15.00			
SCB-16	WEST SIDE NORTH WING	GF-	IPC / SSCU	SHARED SPACE	1500 mm ACID FUME HOOD	4	0	1	200	200	750	750	---	---	---							
		FF-	SSCU - 7	DR. TNG WET SPACE	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		SF-	SSCU - 9	FUTURE	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		TF-	IPC - 14	UNALLOTTED	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
SCB-16								950		3450			0	8	950	3450	3450	8.63	9.30			
SCB-17	WEST SIDE SOUTH WING	GF-	IPC / SSCU	SHARED SPACE	1500 mm ACID FUME HOOD	4	0	1	200	200	750	750	---	---	---							
		FF-	SSCU - 7	DR. A. J. BHATTACHARYA	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		SF-	SSCU - 9	DR. G. DESIRAJU FUME HOOD ROOM	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
		TF-	IPC - 14	UNALLOTTED	1800 mm ACID FUME HOOD			1	250	250	900	900	---	---	---							
SCB-17								950		3450			0	8	950	3450	3450	8.63	9.30			