## Tender Notification for the Procurement of a Research Grade UV-Vis-NIR Spectrophotometer (Last Date for Submission: Friday, August 27<sup>th</sup>, 2021)

Best quotations are invited for the procurement of a **Research Grade UV-Vis-NIR Spectrophotometer** with 100 mm integrating sphere along with following technical specifications on C.I.P. Bangalore basis (by **Air Freight** only). Your quotation should mention the terms of delivery, delivery schedule, estimated delivery date, and payment terms. The tender should be submitted in two separate sealed envelopes: one containing the technical bid and the other containing the commercial bid, both of which should reach us, duly signed on or before 17:00 hours on 27<sup>th</sup> August 2021, Friday.

The bids should be addressed to:

#### The Chairman,

Solid State and Structural Chemistry Unit Indian Institute of Science (IISc)
Bengaluru, India - 560012.

Kind attention: **Dr. Abhishake Mondal** 

email: mondal@iisc.ac.in, chair.sscu@iisc.ac.in

The sealed bids should be sent to:

#### Dr. Abhishake Mondal

Solid State and Structural Chemistry Unit Indian Institute of Science (IISc) Bengaluru, India - 560012.

Ph: +91-9932207177 email: mondal@iisc.ac.in

Please enclose a compliance statement along with the technical bid.

## Section 1: Bid Schedule

1.	Tender No			
		1.2th A 2021		
2.	Tender date	13 <sup>th</sup> August, 2021		
3.	Instrument	Research	Grade	UV-Vis-NIR
		Spectroph	notometer	
4.	Tender type	i)	Technical bid (p	art A)
		ii)	Commercial bid	(part B)
5.	Place of tender submission	The Chairman,		
		Solid State and Structural Chemistry Unit		
		Indian Institute of Science (IISc)		
		Bengaluru, India – 560012		
		Kind atter	ntion: <b>Dr. Abhish</b> a	ike Mondal
6.	Last date and time of tender submission	27 <sup>th</sup> August 2021, Friday, 17:00 hours		
7.	For Further clarification	Dr. Abhishake Mondal		
		Solid State and Structural Chemistry Unit		
		Indian Institute of Science (IISc)		
		Bengaluru	ı, India - 560012.	
		_	932207177	
		email: mo	ndal@iisc.ac.in	

<u>Section 2 - Technical Specification for Research Grade UV-Vis-NIR Spectrophotometer with</u>
<u>100 mm Integrating Sphere</u>

Items	Specification
Optics	Double beam, double monochromator, ratio recording UV-visible-Near IR spectrophotometer, computer interfaced for control, operation, data collection and analysis.  Double pass single monochromators are unacceptable.
Light sources	Deuterium and Tungsten Halogen lamp. Automatic adjustment should be present inside the instrument for automated wavelength accuracy validation and light source position.
Wavelength range	250 - 2500 nm or better with quoted Integrating Sphere.
Wavelength accuracy	UV-Vis = $\pm$ 0.08 nm, NIR = $\pm$ 0.3 nm or better
Wavelength reproducibility	UV-Vis = $\pm$ 0.02 nm and in NIR = $\pm$ 0.08 nm or better
Spectral Bandwidth	0.05–5.00 nm (UV-vis.); 0.2–20 nm (NIR)
Resolution	UV-Vis = < 0.05 nm and in NIR = < 0.2 nm or better
Stray light (%Transmittance)	<0.00007 (At 220 nm, Nal ASTM method)
Scan Speed	0.5-4000 nm/min (UV-Vis), ≥ 4000 nm/min (NIR)
Photometric Range	8 Abs for UV-vis and 6 Abs for NIR range or better
Photometric Accuracy (USING NIST FILTER)	Less than 0.005 Abs (1.0 Abs) or better
Noise level	Less than 0.00005 (500 nm)
Baseline Stability	Less than 0.0005 Abs/hr
Baseline flatness	± 0.0008 A without smoothening
Detector	100 mm diameter High Performance PbS Integrating Sphere or better. for measurement of diffuse reflectance/ diffuse transmittance of solids, thin films

	and powder. Wavelength range: 250-		
	2500 nm. Necessary sample holders		
	should be included.		
Operating temperature/humidity	15-35°C/35-80% relative humidity		
	(noncondensing)		
Photometric Noise	within 0.00004 Abs (0 Abs, 190 nm),		
	within 0.00004 Abs (0 ABS, 500 nm) and		
	within 0.00006 Abs (0 Abs, 1500 nm)		
Connectors/essential accessories	All cables and connectors to be provided		
	for full operating the system.		
Software	Real-time display of measurement		
	with parameters		
	Specify all the instrument settings		
	before measurement		
	<ul> <li>Save data file, parameter files.</li> </ul>		
	<ul> <li>Display settings for graph (line</li> </ul>		
	colour, line type etc ), scale etc		
	(specify capabilities)		
	<ul> <li>Must run the appropriate baseline correction for each sample to</li> </ul>		
	•		
	correct for the parameter changes automatically.		
	<ul> <li>Adjust the graph scale or use</li> </ul>		
	auto-scale.		
	<ul> <li>Automatically analyse data after</li> </ul>		
	measurements (specify		
	capabilities)		
	Overlay spectral waveforms		
	<ul> <li>Data processing (specify</li> </ul>		
	capabilities)		
	<ul> <li>Data conversion (smoothing,</li> </ul>		
	differentiation, etc.)		
Warranty and AMC	Warranty of minimum 12 months from		
,	the date of Installation or more and a		
	minimum AMC for additional 2 years.		

### Additional requirements need to be included:

1. All reflecting optical system (SiO<sub>2</sub> coated) with holographic grating Dual blazed monochromator with 1440 lines/mm UV/Vis blazed at 240 nm and 360 line/mm NIR blazed at 1100 nm, Littrow mounting, sample thickness compensated detector optics. pre-aligned tungsten-halogen and deuterium sources, R6872 gridless photomultiplier for high energy in the whole UV/VIS wavelength range, High performance Peltier-cooled PbS detector for the NIR wavelength range.

- Instrument must have a modular, removable source compartment. A removable source compartment is necessary to accommodate spectroradiometric measurements of light sources.
- Instrument must incorporate a modular, removable detector compartment. The standard instrument must be a compatible with 60 mm Integrating Sphere, 100 mm Integrating Sphere, 150 mm Integrating Sphere, and Universal Variable Angle Absolute Reflectance Accessory etc.
- 4. Instrument must incorporate a **modular, removable sample compartment**. Removal of both the standard sample compartment and the standard detector compartment should be allowable to accommodate large custom sampling accessories.
- 5. Instrument must incorporate **refractive index compensating detector optics**. This optical design minimizes wedge effects thus increasing the ease of mounting samples and the accuracy of our measurements.
- 6. Instrument must incorporate a **true non-measurement phase wavelength stepping**. In this design, the Sample and Reference signals from the chopper need to be measured while the monochromators are stationary. A four-segment chopper design must provide individual reading for sample and reference, to increase measurement accuracy.
- 7. Instrument must incorporate a standard sample compartment of at least 200 mm wide, 220 mm high and 300 mm deep. Often, we need to run large samples. A smaller sample compartment limits the size of samples. In addition, the instrument must be configurable to allow a custom accessory area of at least 700 mm wide, 300 mm high, and 350 mm deep. Enough space should be available in the sample compartment to introduce the cryostat for variable temperature UV-Vis measurement. Variable temperature UV-Vis measurement option should be given for future upgradation i.e. introduction of variable temperature cryostat (80 K 500 K).
- 8. Instrument must incorporate **factory pre-aligned tungsten-halogen and deuterium sources**. Pre-aligned sources maximize energy through-put that results in better signal to noise and precision.
- 9. Instrument must include a software controlled, motorized common beam aperture mask. A common beam aperture is required when one is measuring small samples. The ability to modify the sample beam size is required for accurate measurement of small samples. Some vendors also offer a small spot accessory to further focus the beam on small samples. This will give us unlimited capabilities to measure any size sample we choose with highest accuracy and precision.
- 10. Computer interfaced for control, operation, data collection and analysis
- 11. Instrument must allow **standard RS232C or USB** communication from Instrument to PC.
- 12. It should work in Transmission, Reflection and Absorption mode
- 13. Diffuse reflectance/ diffuse transmittance of solids, thin films and powder
- 14. Automatic adjustment should be present inside the instrument for automated wavelength accuracy validation and light source position.
- 15. Thin film holder attachment is required.
- 16. Installation and training should be provided on the installation site and should be free of cost.
- 17. The shipping cost should be included up to IISc.
- 18. A set of basic experiments for performing routine checks of acceptable operation with clear instructions to be provided. A standard sample for checking the absorbance should be provided.

#### **Optional items:**

- 1. Compatible computer systems with 22" monitor. Latest configured Intel Core i7-10700 CPU, 8 GB DDR 4 RAM, 250 GB NVME PCIe SSD HDD, 1 TB SATA HDD, P-4 Cabinet With PSU, Logitech Keyboard & Mouse-wired and Dell P Series 22-inch Screen Full HD monitor.
- 2. Two-year additional AMC

# The following technical requirements should be strictly met and necessary documentation has to be enclosed along with the main quotation.

\_ The UV-VIS-NIR Spectrophotometer unit has to be optimized for the standard test/reference.

samples and to be successfully demonstrated at our site.

- \_ Complete product catalogue describing all the required basic and optional items should be produced.
  - Submit Technical Compliance with Proof documents.
  - Submit Similar Equipment's PO copy, user list and performance certificate to demonstrate technical competence and service capability in India and Bangalore.
- \_ Installation should be done at free of the cost.
- \_ Technical and commercial bids should be submitted separately.

#### **Section 3- Terms and Conditions:**

- 1. All documentations in the tender should be in English.
- 2. Tender should be submitted in two envelops (two bid system).
  - a) Technical Bid (Part-A) Technical bid consisting of all technical details and check list for conformance to technical specifications. The proposal should contain a compliance table with 4 columns in addition to the ones in the technical requirements table that has been included with this RFQ above. The compliance table should include all the items in the same order and format. The first column should describe your compliance in a "Yes" or "No" response. If "No" the second column should state, the extent of deviation. The "third" column should state the reasons for the deviation if any. The fourth column can be used to compare your tool with that of your competitors or provide details as requested in the technical requirements table below. (suppliers who include any indication of prices in the technical bid will be automatically disqualified).

- b) Commercial Bid (Part-B) Indicating item wise price for the items mentioned in the technical bid, as per the format of quotation provided in tender, and other commercial terms and conditions.
- 3. The technical bid and price bid should each be placed in separate sealed covers, superscripting on both the envelopes the tender no. and the due date. Both these sealed covers are to be placed in a bigger cover which should also be sealed and duly superscripted with the Tender No, Tender Description & Due Date.
- 4. The SEALED COVER superscripting tender number / due date & should reach the office of the Chairman, Solid State and Structural Chemistry Unit, Indian Institute of Science, Bangalore 560012, India, Kind attention: Dr. Abhishake Mondal on or before due date mentioned in the tender notice. In case due date happens to be holiday the tender will be accepted and opened on the next working day. If the quotation cover is not sealed, it will be rejected.
- 5. Notwithstanding anything specified in this tender document, IISc Bangalore, in its sole discretion, unconditionally and without having to assign any reason, reserves the rights:
  - a) To accept OR reject lowest tender or any other tender or all the tenders.
  - b) To accept any tender in full or in part.
  - c) To reject the tender, offer not confirming to the tender terms.
- 6. Any statutory increase in the taxes and duties subsequent to bidder's offer, if it takes place within the original contractual delivery date, will be borne by IISc, Bangalore subject to the claim being supported by documentary evidence. However, if any decrease takes place the advantage will have to be passed on to IISc, Bangalore. Any information furnished by the bidder found to be incorrect, either immediately or at a later date, would render the bidder liable to be debarred from tendering/taking up of work in IISc, Bangalore.
- 7. The bidder will provide the prerequisite installation requirement of the equipment along with the technical bid.
- 8. The vendor is responsible for the installation of the system at the institute.
- 9. The price quotation should include the cost of installation and training of potential users.
- 10. GST must be not more than 5% (Institute will provide you GST exemption certificate).
- 11. The system should be provided with at least three years of warranty, on all parts and labor, from the date of installation.
- 12. Imported items should be shipped on C.I.P. Bangalore basis (by Air Freight only).
- 13. The vendor should have qualified technical service personnel for the equipment based in India and should assure a response time of <48 hours.
- 14. Vendor must provide a user list (with contact details including emails and phone numbers) of at least at least five identical instruments in JNCASR, IITs, IISERs, NITs with above mentioned specifications. Details of such systems should be provided.
- 15. The lead-time for the delivery of the equipment should not be more than 6 months from the date of receipt of our purchase order.

- 16. The indenter reserves the right to withhold placement of final order. The right to reject all or any of the quotations and to split up the requirements or relax any or all of the above conditions without assigning any reason is reserved.
- 17. Wherever requested data must be supplied along with technical compliance documents. Technical bids without supporting data will be deemed as technically noncompliant.
- 18. All guaranteed specifications may have to be demonstrated at the time of installation. Any necessary standard samples for that purpose should be brought by the service engineers.
- 19. Printed literature and published papers in support of all compliance with the prescribed specifications may be provided.
- 20. The vendor must provide a compliance statement in a tabular form concerning each technical specification in the tender document duly supported by the manufacturer's literature and published papers. Any other claim will not be accepted and may lead to rejection of the bid.
- 21. Technical evaluation by the institute may include a demonstration to verify functionalities and capabilities of the system quoted. The institute reserves the right to provide samples after opening the technical bids for verification of promised specifications. Any discrepancy between the promised specifications and measurements will be deemed as technical non-compliance.
- 22. The vendor must quote for a non-comprehensive warranty price beyond the oneyear warranty with a price lock in for 2 years beyond the standard 1-year warranty period. The vendor must quote for a non-comprehensive AMC price beyond the oneyear warranty, with a price lock in for 2 years beyond the standard 1-year warranty period, 2/3 services per year should be included in the AMC. Annual Maintenance Contract should be clearly mentioned after warranty period.
- 23. The quote should also include additional spares sufficient for 3-years.
- 24. The payment will be through FOR-IISc Bangalore.
- 25. Any legal disputes arising out of any breach of contract pertaining to this tender shall be settled in the court of competent jurisdiction located within the city of Bangalore, India.

## Annexure 1:

Details of the Bidder: The bidder must provide the following mandatory information & attach supporting documents wherever mentioned:

Sr. No.	Туре	Details
1.	Name of the Bidder	
2.	Nature of Bidder (Attach attested copy of Certificate of Incorporation/ Partnership Deed)	
3.	Registration No/ Trade License, (attach attested copy)	
4.	Registered Office Address	
5.	Address for communication	
6.	Contact person- Name and Designation	
7.	Telephone No	
8.	Email ID	
9.	Website	
10.	PAN No. (attach copy)	
11.	GST No. (attach copy)	

Signature of the Bidder	
Name: Designation, Seal	Date:

Annexure 2:	
Declaration regarding experience	
То,	
The Chairman, Solid State and Structural Chemistry Unit, Indian Institute of Science, Bangalore – 560012, India Kind attention: <b>Dr. Abhishake Mondal</b>	
Ref: Tender No: XXXXXXXXX	
Dated: XXXXX	
Supply and installation of Research Grade UV-Vis-NIR Spectrophotometer	er
Sir,	
I have carefully gone through the Terms & Conditions contained in the a hereby declare that my company / firm has years of experience in su Research Grade UV-Vis-NIR Spectrophotometer.	
(Signature of the Bidder)	
Printed Name Designation, Seal	Date:

Annexur	e 3:			
Declaration of track record				
To,				
Indian Inst Bangalore India	and Structural Chemistry Unitute of Science,	it,		
Ref: Tender No: XXXXXXXXX				
Dated: XXX	XXX			
Supply and installation of Research Grade UV-Vis-NIR Spectrophotometer				
Sir,				
I have carefully gone through the Terms & Conditions contained in the above referred tender.				d tender.
I hereby declare that my company / firm is not currently debarred / blacklisted by any Government Semi-Government organizations / institutions in India or abroad. I further certify that I am competent officer in my company / firm to make this declaration.				
OR				
I declare th	ne following:			
Sr. No.	Country in which the company is debarred/blacklisted / having pending case	Blacklisted / debarred by Government / Semi Government Organizations or Institutions / having pending case	Reason	Time Period
=	• •	placklisted previously, please pr as blacklisted and the reason/s t		ils regarding

Date:

(Signature of the Bidder)

Printed Name Designation, Seal

Annexure 4:	
Declaration of acceptance of terms and conditions	
To,	
The Chairman, Solid State and Structural Chemistry Unit, Indian Institute of Science, Bangalore – 560012, India Kind attention: <b>Dr. Abhishake Mondal</b>	
Ref: Tender No: XXXXXXXXX	
Dated: XXXXX	
Supply and installation of Research Grade UV-Vis-NIR Spectropho	otometer
Sir,	
I have carefully gone through the Terms & Conditions conta document. I declare that all the provisions of this tender docum further certify that I am an authorized signatory of my compar make this declaration.	ent are acceptable to my company. I
Yours faithfully	
(Signature of the Bidder)	
Name:	
Designation, Seal:	Date:

#### **Section 5: Checklist**

The following items must be checked before the bid is submitted.

- Sealed Envelope "A": Technical Bid
   Technical bid (each page signed by the authorized signatory and sealed) with the
   below annexures:
  - a. Annexure 1: Bidders details
  - b. Annexure 2: Declaration regarding experience
  - c. Annexure 3: Declaration of track record
  - d. Annexure 4: Declaration of acceptance of terms and conditions
  - e. Annexure 5: Details of item quoted.
- 2. Sealed Envelope "B": Commercial Bid

Your quotation must be submitted in two separate sealed envelopes: Technical Bid (Envelope A) and Commercial Bid (Envelope B) super scribing on both the envelopes with Tender No. and due date and both in sealed covers and put in a bigger cover which should also be sealed and duly super scribed with Tender No., Tender description & Due Date.