

# Indian Institute of Science (IISc) Bangalore – 560012 (www.iisc.ac.in)

# NOTICE INVITING TENDER

under the two-cover bid system

for

Supply of Kitchen utensils, cooking vessels and dining furniture for Students' Mess at IISc, Bangalore

Tender No: IISc/SH/Mess/2021

Date: 06.09.2021

## **Contact Details for this tender:**

The Assistant Registrar (Stores & Purchase)

New Administrative Block

Indian Institute of Science

Bangalore - 560012

Tel: 080-2293 3688

Email: ar.purchase@iisc.ac.in

# **Indian Institute of Science, Bangalore**

Tender Inviting Authority: The Registrar, Indian Institute of Science, Bangalore - 560012

Title of the Tender: Supply of utensils, cooking vessels and dining furniture for

Students' Mess at IISc, Bangalore

Tender Ref. No.: IISc/SH/Mess/2021 dated 06.09.2021

IISc is interested in purchasing kitchen utensils, cooking vessels and dining furniture for students mess as per below specifications. The required technical details including specifications, terms and conditions are provided below. Please send us technical and commercial quotes in separate sealed envelopes addressed to the Assistant Registrar (Stores & Purchase), New Administrative Block, Indian Institute of Science, Bangalore-560012, by **2 PM of 13.10.2021.** 

#### A. <u>Item Details and its technical specifications:</u>

The item must consist of the following details (Complete technical details and quantity):

#### 1. As per Annexure - I

#### B. Eligibility Criteria and Terms & Conditions:

- 1. The bidder must be either Indian OEM (Original Equipment Manufacturer) or its authorized Indian distributor-
- 2. The bidder must have valid GSTIN. Valid certificate must be attached.
- 3. The bidder shall have minimum turnover of **Rs. 40 Lakhs** in any one year during the last 5 financial years (2016-17 to 2020-21). The CA certificate to be attached.
- 4. Vendor must quote for all line-items.

- 5. The quantities mentioned in the BOQ are approximate. The Quantity in the final order may vary to the extent of 5% maximum.
- 6. Turnaround time for any repairs during warranty period: Dedicated support number with a promised turn around for inspection of 48 hours or lesser (NOT business hours) and service time of not more than three business days. The bidder shall have proper Service Centre / tie up at Bangalore for quick service back up.
- 7. Minimum warranty should be One year.
- 8. The lowest bidder after financial evaluation of the tender should register in Indian Institute of Science through Vendor Information Portal (<a href="https://hellovendor.iisc.ac.in/">https://hellovendor.iisc.ac.in/</a>). Any payment will be released only after successful registration with this portal.
- 9. IISc will have absolute right to modify / cancel this tender and accept / reject any bid.
- 10. Late submission of bids is not permitted.
- 11. Bids must be in two-cover bid system (Technical Bid and Price Bid). Both the separately sealed bids should be kept in a bigger sealed envelope mentioning our Tender reference no. and name of the item. Technical Bid must contain both the Techno-Commercial Compliance Sheets, related documents, technical literatures, and any other documents (except Price Bid). All pages must be properly sealed (stamped) and signed by the bidder with name & date.
- 12. Successful bidder will be decided on the basis of overall (grand total of all items taken together) Lowest (L-1) of Price Bid of technically qualified bids.
- 13. A copy of the tender document (duly sealed and signed by the bidder on pages) must be attached with the technical bid declaring the bidder accepts all terms & conditions of the tender. Conditional bid will be rejected. Price of an item must not be mentioned in the technical bid, failing which the technical bid will be rejected.
- 14. The quoted cost must include packing, freight, loading, unloading, and on FOR-IISc Bangalore basis. Installation, Fixing and other associated works will be done by the IISc (Hostel Office).

#### 15. Important Dates: -

| Date of publication of tender                  | 20.09.2021               |
|--|--------------------------|
| Last Date of pre-bid query to be sent by email | 24.09.2021 at 5 p.m.     |
| only to ar.purchase@iisc.ac.in                 |                          |
| Pre-bid meeting (Online)                       | 28.09.2021 at 11 a.m.    |
| (MS Teams online meeting link will be sent to  |                          |
| the prospective bidders, whose query will be   |                          |
| received by the last date & time as above by   |                          |
| email)   |                          |
| Last date & time of submission of bids         | 13.10.2021 at 2 p.m.     |
| Opening of Technical Bids                      | 13.10.2021 at 3 p.m.     |
| Opening of Price Bids                          | To be intimated later to |
| (Price Bids will be opened of only those       | the qualified bidders.   |
| bidders, whose technical bids will be declared | the qualified bidders.   |
| qualified by the Technical Committee of IISc   |                          |
| for the procurement. Decision of the           |                          |
| Committee will be final and binding.)          |                          |

**Note**: IISc will have absolute right to change the date / time.

#### C. Commercial & Payment Terms:

- 1. The successful bidder is required to submit Performance Security / Performance Bank Guarantee (PBG) within two weeks of the issue of Purchase order (PO), which will be valid for two months beyond the contractual obligations including warranty period. PBG should be for 3% of the total PO value. Standard rules of GFR will be followed for forfeiting / return of PBG.
- 2. Place of delivery is Students' Mess / Hostel Office, IISc, Bangalore.

#### D. Contact Details for this tender:

The Assistant Registrar (Stores & Purchase) Indian Institute of Science Bangalore - 560012

Tel: 080 -2293 3688

Email ID: ar.purchase@iisc.ac.in

\*\*\*\*\*



# **Technical Bid**

## **Techno-Commercial Compliance Sheet - 1**

| Sl. No. | Eligibility Criteria                     | Fulfil this | Details and    |
|---------|--|-------------|----------------|
|         |  | criterion   | Proof Attached |
|         |  | (Yes/No)    | on page no.    |
| 1.      | The bidder must be either Indian OEM     |             |                |
|         | (Original Equipment Manufacturer) or     |             |                |
|         | its authorized Indian distributor        |             |                |
| 2.      | The bidder must have valid GSTIN.        |             |                |
|         | Valid certificates must be attached.     |             |                |
| 3.      | The bidder shall have minimum            |             |                |
|         | turnover of Rs. 40 Lakhs in any one      |             |                |
|         | year during the last 5 financial years   |             |                |
|         | (2016-17 to 2020-21). The CA certificate |             |                |
|         | to be attached.                          |             |                |
| 4.      | Minimum Warranty of One Year             |             |                |

\*\*\*\*

| S.No. | Particular                | Size / Dimension  | Total |
|-------|---------------------------|---|-------|
| 1     | TAMARIND JHARA SS         | 22 INCH ROUND 24 INCH LENGTH, 14<br>GAUGE, GRADE 304  | 6     |
| 2     | POORI JHARA SS            | 12 INCH * 26 LENGTH 14 GUAGE,<br>GRADE 304  | 8     |
| 3     | BOONDI JHARA SS           | W 9 INCH / LENGTH 24 14 GUAGE,<br>GRADE 304   | 10    |
| 4     | KURPI SS                  | W 9 INCH / LENGTH 50 INCH 14<br>GUAGE, GRADE 304  | 10    |
| 5     | KURPI SS                  | W 9 INCH / LENGTH 36 INCH 14<br>GUAGE, GRADE 304  | 10    |
| 6     | RICE STAINER COLANDER SS  | W 30 INCH / DEPTH 36 INCH 14<br>GUAGE, GRADE 304  | 8     |
| 7     | RICE STAINER COLANDER SS  | W 21INCH / DEPTH 7 INCH 14<br>GUAGE, GRADE 304  | 8     |
| 8     | SS STOOLS                 | STOOL TOP MADE UP OF 16G SS<br>SHEET AND LEGS MADE UP OF 1 1/4"<br>SQ. AND 1" DIA ROUND SS PIPE   | 32    |
| 9     | SS KADAI HEAVY            | W 30 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | 6     |
| 10    | SS KADAI HEAVY            | W 24 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | 7     |
| 11    | SS KADAI HEAVY            | W 36 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | 2     |
| 12    | SS BUCKET                 | 5 LITRE 14 GUAGE, GRADE 304   | 20    |
| 13    | SS BUCKET                 | 10 LITRE 14 GUAGE, GRADE 304  | 20    |
| 14    | SS WATER JUGS             | 2 LITRES 14 GUAGE, GRADE 304  | 240   |
| 15    | SS BASIN                  | SS GRADE 304 5 KG CAPACITY  | 28    |
| 16    | TABU SS                   | W 11 INCH / LENGTH 24 INCH,<br>GRADE 304  | 14    |
| 17    | SAUCE PAN WITH HANDLE SS  | SS GRADE 304 2 LITRES CAPACITY  | 15    |
| 18    | SS HANDI WITH LID (HEAVY) | W 20 INCH / DEPTH 12 INCH 14<br>GUAGE, GRADE 304  | 14    |
| 19    | SS HANDI WITH LID (HEAVY) | W 32 INCH / DEPTH 16 INCH 14<br>GUAGE, GRADE 304  | 10    |
| 20    | SS HANDI WITH LID (HEAVY) | W 18 INCH / DEPTH 12 INCH 14<br>GUAGE, GRADE 304  | 10    |
| 21    | SS HANDI WITH LID (HEAVY) | W 14 INCH / DEPTH 8 INCH 14 GUAGE, GRADE 304  | 9     |
| 22    | SS HANDI WITH LID (HEAVY) | W 40 INCH / DEPTH 18 INCH 14<br>GUAGE, GRADE 304  | 8     |
| 23    | RANGE WITH TROLLY SS      | MADE UPOF 16G SS SHEET WITH<br>PROVISION FOR PLACING GAS<br>CYLINDER AND 16 MM MS PLATE<br>TAWA FOR PREPARING OMLETTE<br>WITH 4 NOS. OF WHEELS OF 6"<br>HEAVY DUTY WHEELS | 3     |
| 24    | TROLLY SS                 | HEAVY 14 GUAGE 304  | 3     |
| 25    | WATER GLASS SS            | SS 14 GUAGE, GRADE 304 (200ML)<br>SOUTH INDIAN STYLE TUMBLER  | 1000  |
| 26    | KATORI SS                 | SS 14 GUAGE, GRADE 304 (150ML)  | 1500  |
| 27    | HALF PLATES               | SS 12 INCH 14 GUAGE, GRADE 304  | 600   |

| 28       | FULL PLATES  | SS 9 INCH 14 GUAGE, GRADE 304  | 600  |
|----------|--|--|------|
| 29       | BUTTER KNIFE   | SS GRADE 304 8 INCH  | 200  |
| 30       | TEA SPOON  | SS GRADE 304 5.5 INCH  | 1000 |
| 31       | ALL PURPOSE SPOON  | SS GRADE 304 8 INCH  | 1400 |
| 32       | ALL PURPOSE FORK   | SS GRADE 304 8 INCH  | 200  |
| 33       | TONGS  | SS GRADE 304 10 INCH   | 20   |
| 34       | ROTI TONGS   | SS GRADE 304 10 INCH   | 12   |
| 35       | LADDELS FLAT   | SS GRADE 304 15 INCH   | 24   |
| 36       | RASAM LADDELS  | SS GRADE 304 15 INCH   | 24   |
| 37       | PEST O FLASH (WHITE<br>COLOUR) Insect Killer Machine /<br>Bug Zapper / Fly Catcher | INSECT KILLER SIZE 1.5 X 2.5FEET<br>METAL BODY   | 8    |
| 38       | Granite Top Dining Table   | Size - 6' x 3' Table Top made up of 20mm thick granite with full nosing. Frame made up of 304 grade 16g 2" dia round pipe, 2" square pipe and 12 mm SS Flat. Bottom to be supported with adjustable nylon bush | 50   |
| 39       | Dining Chairs  | Chair seat and back made upof plastic sheel and legs made up of 1" round SS pipe with leg bush.  | 200  |
| SS – Sta | inless Steel   |  | _    |

## Technical Bid (BOQ)

## <u>Techno-Commercial Compliance Sheet - 2</u>

| S.No. | Particular                | Size / Dimension  | Total |
|-------|---------------------------|---|-------|
| 1     | TAMARIND JHARA SS         | 22 INCH ROUND 24 INCH LENGTH, 14<br>GAUGE, GRADE 304  | 6     |
| 2     | POORI JHARA SS            | 12 INCH * 26 LENGTH 14 GUAGE,<br>GRADE 304  | 8     |
| 3     | BOONDI JHARA SS           | W 9 INCH / LENGTH 24 14 GUAGE,<br>GRADE 304   | 10    |
| 4     | KURPI SS                  | W 9 INCH / LENGTH 50 INCH 14<br>GUAGE, GRADE 304  | 10    |
| 5     | KURPI SS                  | W 9 INCH / LENGTH 36 INCH 14<br>GUAGE, GRADE 304  | 10    |
| 6     | RICE STAINER COLANDER SS  | W 30 INCH / DEPTH 36 INCH 14<br>GUAGE, GRADE 304  | 8     |
| 7     | RICE STAINER COLANDER SS  | W 21INCH / DEPTH 7 INCH 14<br>GUAGE, GRADE 304  | 8     |
| 8     | SS STOOLS                 | STOOL TOP MADE UP OF 16G SS<br>SHEET AND LEGS MADE UP OF 1 1/4"<br>SQ. AND 1" DIA ROUND SS PIPE   | 32    |
| 9     | SS KADAI HEAVY            | W 30 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | 6     |
| 10    | SS KADAI HEAVY            | W 24 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | 7     |
| 11    | SS KADAI HEAVY            | W 36 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | 2     |
| 12    | SS BUCKET                 | 5 LITRE 14 GUAGE, GRADE 304   | 20    |
| 13    | SS BUCKET                 | 10 LITRE 14 GUAGE, GRADE 304  | 20    |
| 14    | SS WATER JUGS             | 2 LITRES 14 GUAGE, GRADE 304  | 240   |
| 15    | SS BASIN                  | SS GRADE 304 5 KG CAPACITY  | 28    |
| 16    | TABU SS                   | W 11 INCH / LENGTH 24 INCH,<br>GRADE 304  | 14    |
| 17    | SAUCE PAN WITH HANDLE     | SS GRADE 304 2 LITRES CAPACITY  | 15    |
| 18    | SS HANDI WITH LID (HEAVY) | W 20 INCH / DEPTH 12 INCH 14<br>GUAGE, GRADE 304  | 14    |
| 19    | SS HANDI WITH LID (HEAVY) | W 32 INCH / DEPTH 16 INCH 14<br>GUAGE, GRADE 304  | 10    |
| 20    | SS HANDI WITH LID (HEAVY) | W 18 INCH / DEPTH 12 INCH 14<br>GUAGE, GRADE 304  | 10    |
| 21    | SS HANDI WITH LID (HEAVY) | W 14 INCH / DEPTH 8 INCH 14<br>GUAGE, GRADE 304   | 9     |
| 22    | SS HANDI WITH LID (HEAVY) | W 40 INCH / DEPTH 18 INCH 14<br>GUAGE, GRADE 304  | 8     |
| 23    | RANGE WITH TROLLY SS      | MADE UPOF 16G SS SHEET WITH<br>PROVISION FOR PLACING GAS<br>CYLINDER AND 16 MM MS PLATE<br>TAWA FOR PREPARING OMLETTE<br>WITH 4 NOS. OF WHEELS OF 6"<br>HEAVY DUTY WHEELS | 3     |
| 24    | TROLLY SS                 | HEAVY 14 GUAGE 304  | 3     |

| 25 | WATER GLASS SS   | SS 14 GUAGE, GRADE 304 (200ML)<br>SOUTH INDIAN STYLE TUMBLER   | 1000 |
|----|--|--|------|
| 26 | KATORI SS  | SS 14 GUAGE, GRADE 304 (150ML)   | 1500 |
| 27 | HALF PLATES  | SS 12 INCH 14 GUAGE, GRADE 304   | 600  |
| 28 | FULL PLATES  | SS 9 INCH 14 GUAGE, GRADE 304  | 600  |
| 29 | BUTTER KNIFE   | SS GRADE 304 8 INCH  | 200  |
| 30 | TEA SPOON  | SS GRADE 304 5.5 INCH  | 1000 |
| 31 | ALL PURPOSE SPOON  | SS GRADE 304 8 INCH  | 1400 |
| 32 | ALL PURPOSE FORK   | SS GRADE 304 8 INCH  | 200  |
| 33 | TONGS  | SS GRADE 304 10 INCH   | 20   |
| 34 | ROTI TONGS   | SS GRADE 304 10 INCH   | 12   |
| 35 | LADDELS FLAT   | SS GRADE 304 15 INCH   | 24   |
| 36 | RASAM LADDELS  | SS GRADE 304 15 INCH   | 24   |
| 37 | PEST O FLASH (WHITE<br>COLOUR) Insect Killer Machine /<br>Bug Zapper / Fly Catcher | INSECT KILLER SIZE 1.5 X 2.5FEET<br>METAL BODY   | 8    |
| 38 | Granite Top Dining Table   | Size - 6' x 3' Table Top made up of 20mm thick granite with full nosing. Frame made up of 304 grade 16g 2" dia round pipe, 2" square pipe and 12 mm SS Flat. Bottom to be supported with adjustable nylon bush | 50   |
| 39 | Dining Chairs  | Chair seat and back made upof plastic sheel and legs made up of 1" round SS pipe with leg bush.  | 200  |

\*\*\*\*

# **INDIAN INSTITUTE OF SCIENCE, BANGALORE**

#### **PRICE BID**

(to be submitted by the bidder in separate sealed cover superscribed as Price Bid)

Name, GSTIN & Address of the Bidder: .....

| Nan       | ne of work: Kitchen utensils, cool | king vessels and dining furniture for Stu   | dents' N | less at Il | Sc                                 |                  |  |                          |
|-----------|------------------------------------|---|----------|------------|------------------------------------|------------------|--|--------------------------|
| S1<br>no. | Item of work                       | Specification   | Unit     | Qty.       | Basic rate<br>per unit<br>(in INR) | GST Rate<br>in % | Total rate<br>Per Unit<br>with GST<br>(in INR) | Total<br>amount<br>(INR) |
|           | TAMARIND JHARA SS                  | 22 INCH ROUND 24 INCH LENGTH, 14<br>GAUGE, GRADE 304  | Nos.     | 6          |                                    |                  |  |                          |
|           | POORI JHARA SS                     | 12 INCH * 26 LENGTH 14 GUAGE,<br>GRADE 304  | Nos.     | 8          |                                    |                  |  |                          |
|           | BOONDI JHARA SS                    | W 9 INCH / LENGTH 24 14 GUAGE,<br>GRADE 304   | Nos.     | 10         |                                    |                  |  |                          |
|           | KURPI SS                           | W 9 INCH / LENGTH 50 INCH 14<br>GUAGE, GRADE 304  | Nos.     | 10         |                                    |                  |  |                          |
|           | KURPI SS                           | W 9 INCH / LENGTH 36 INCH 14<br>GUAGE, GRADE 304  | Nos.     | 10         |                                    |                  |  |                          |
|           | RICE STAINER COLANDER SS           | W 30 INCH / DEPTH 36 INCH 14<br>GUAGE, GRADE 304  | Nos.     | 8          |                                    |                  |  |                          |
|           | RICE STAINER COLANDER SS           | W 21INCH / DEPTH 7 INCH 14 GUAGE,<br>GRADE 304  | Nos.     | 8          |                                    |                  |  |                          |
|           | SS STOOLS                          | STOOL TOP MADE UP OF 16G SS<br>SHEET AND LEGS MADE UP OF 1 1/4"<br>SQ. AND 1" DIA ROUND SS PIPE | Nos.     | 32         |                                    |                  |  |                          |
|           | SS KADAI HEAVY                     | W 30 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | Nos.     | 6          |                                    |                  |  |                          |
|           | SS KADAI HEAVY                     | W 24 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | Nos.     | 7          |                                    |                  |  |                          |
|           | SS KADAI HEAVY                     | W 36 INCH / 8 DEPTH 14 GUAGE,<br>GRADE 304  | Nos.     | 2          |                                    |                  |  |                          |

| SS BUCKET                 | 5 LITRE 14 GUAGE, GRADE 304  | Nos. | 20   |  |  |
|---------------------------|--|------|------|--|--|
| SS BUCKET                 | 10 LITRE 14 GUAGE, GRADE 304   | Nos. | 20   |  |  |
| SS WATER JUGS             | 2 LITRES 14 GUAGE, GRADE 304   | Nos. | 240  |  |  |
| SS BASIN                  | SS GRADE 304 5 KG CAPACITY   | Nos. | 28   |  |  |
| TABU SS                   | W 11 INCH / LENGTH 24 INCH, GRADE 304  | Nos. | 14   |  |  |
| SAUCE PAN WITH HANDLE     | SS GRADE 304 2 LITRES CAPACITY   | Nos. | 15   |  |  |
| SS HANDI WITH LID (HEAVY) | W 20 INCH / DEPTH 12 INCH 14<br>GUAGE, GRADE 304   | Nos. | 14   |  |  |
| SS HANDI WITH LID (HEAVY) | W 32 INCH / DEPTH 16 INCH 14<br>GUAGE, GRADE 304   | Nos. | 10   |  |  |
| SS HANDI WITH LID (HEAVY) | W 18 INCH / DEPTH 12 INCH 14<br>GUAGE, GRADE 304   | Nos. | 10   |  |  |
| SS HANDI WITH LID (HEAVY) | W 14 INCH / DEPTH 8 INCH 14 GUAGE,<br>GRADE 304  | Nos. | 9    |  |  |
| SS HANDI WITH LID (HEAVY) | W 40 INCH / DEPTH 18 INCH 14<br>GUAGE, GRADE 304   | Nos. | 8    |  |  |
| RANGE WITH TROLLY SS      | MADE UPOF 16G SS SHEET WITH PROVISION FOR PLACING GAS CYLINDER AND 16 MM MS PLATE TAWA FOR PREPARING OMLETTE WITH 4 NOS. OF WHEELS OF 6" HEAVY DUTY WHEELS | Nos. | 3    |  |  |
| TROLLY SS                 | HEAVY 14 GUAGE 304   | Nos. | 3    |  |  |
| WATER GLASS SS            | SS 14 GUAGE, GRADE 304 (200ML)<br>SOUTH INDIAN STYLE TUMBLER   | Nos. | 1000 |  |  |
| KATORI SS                 | SS 14 GUAGE, GRADE 304 (150ML)   | Nos. | 1500 |  |  |
| HALF PLATES               | SS 12 INCH 14 GUAGE, GRADE 304   | Nos. | 600  |  |  |
| FULL PLATES               | SS 9 INCH 14 GUAGE, GRADE 304  | Nos. | 600  |  |  |

|    | BUTTER KNIFE   | SS GRADE 304 8 INCH   | Nos. | 200  |  |  |
|----|--|---|------|------|--|--|
|    | TEA SPOON  | SS GRADE 304 5.5 INCH   | Nos. | 1000 |  |  |
|    | ALL PURPOSE SPOON  | SS GRADE 304 8 INCH   | Nos. | 1400 |  |  |
|    | ALL PURPOSE FORK   | SS GRADE 304 8 INCH   | Nos. | 200  |  |  |
|    | TONGS  | SS GRADE 304 10 INCH  | Nos. | 20   |  |  |
|    | ROTI TONGS   | SS GRADE 304 10 INCH  | Nos. | 12   |  |  |
|    | LADDELS FLAT   | SS GRADE 304 15 INCH  | Nos. | 24   |  |  |
|    | RASAM LADDELS  | SS GRADE 304 15 INCH  | Nos. | 24   |  |  |
|    | PEST O FLASH (WHITE COLOUR) Insect Killer Machine / Bug Zapper / Fly Catcher | INSECT KILLER SIZE 1.5 X 2.5FEET<br>METAL BODY  | Nos. | 8    |  |  |
|    | Granite Top Dining Table   | Size - 6' x 3' Table Top made up of<br>20mm thick granite with full nosing.<br>Frame made up of 304 grade 16g 2"<br>dia round pipe, 2" square pipe and 12<br>mm SS Flat. Bottom to be supported<br>with adjustable nylon bush | Nos. | 50   |  |  |
|    | Dining Chairs  | Chair seat and back made upof plastic sheel and legs made up of 1" round SS pipe with leg bush.   | Nos. | 200  |  |  |
| Gr | and Total Amount in Figures in INR (Rs.)                                     |   |      |      |  |  |
| G  | rand Total Amount in words in<br>INR (Rs.)                                   |   |      |      |  |  |

Note: 1. The quoted cost must include packing, freight, loading, unloading, and on FOR-IISc Bangalore basis.

2. All pages must be properly sealed (stamped) and signed by the bidder with name & date.

\*\*\*\*