

GLOBAL TENDER NOTICE

Supply and Installation of Tunable mid-IR laser system



**DEPARTMENT OF INSTRUMENTATION AND APPLIED PHYSICS
INDIAN INSTITUTE OF SCIENCE**

JUNE 30, 2026

**LANSP LAB, IAP
Bangalore 560012**

Table of contents:

1	Section 1	Bid Schedule	
2	Section 2	Eligibility Criteria	As specified by IISc
3	Section 3	Terms and Conditions	As specified by IISc
4	Section 4	Specifications	Technical specifications
5	Section 5	Technical Bid	Annexure 1: Bidder details
			Annexure 2: Declaration regarding experience of bidder
			Annexure 3: Declaration regarding clean track record of the bidder
			Annexure 4: Declaration of acceptance of tender
			Annexure 5: Terms and conditions. Details of item quoted
6	Section 6	Commercial bid	Quotation with Price, Technical specifications of the Equipment

This is a global tender

Section 1 - Bid Schedule

1	Tender No	IAP/GT/TDG/LANSPE-003/2026-27.
2	Tender Date	30.06.2026
3	Item Description	Supply and Installation of Tunable mid-IR laser system Qty: 1 No.
4	Quantity Required	1 No
5	Tender Type	Two bid system (i) Technical Bid (Part A) (ii) Commercial Bid (Part B)
6	Place of tender submission	Chairperson's Office, Ground Floor Dept. of Instrumentation and Applied Physics Indian Institute of Science, Bangalore 560012 Atten.: Prof. Taoajyoti Gapgupta
7	Last Date & Time for submission of tender	21.07.2026
8	For further clarification	Prof. Tapajyoti Dasgupta, Room No.125, 1 st floor Department of Instrumentation and Applied Physics, Indian Institute of Science, Bengaluru 560012 Email: tapajyoti@iisc.ac.in

Section 2 – Eligibility Criteria

Prequalification criteria:

1. The bidder must have supplied similar systems to at least three educational institutes/universities and/or research organizations and at least five to the CFTI's in India along with contact details.
2. The bidder should sign and submit the declaration for Acceptance of Terms and Conditions as per -Annexure 4.
3. The Bidder must not be blacklisted/banned/suspended or have a record of any service-related dispute with any organization in India or elsewhere. A declaration to this effect has to be given as per Annexure 3.
4. Original Invoice, Original Warranty Certificate, Original Test Reports should be produced for all imported items from OEM (Original Equipment Manufacturer) at the time of supply of the equipment.
5. System Catalogue should be produced with the Technical Bid.
6. Manufacturers should have ISO or equivalent international standard certificate. Please attach the required certificate with the bid.
7. Supplier will support the user with all the spares for a minimum period of 5 years.
8. Details of experienced service engineering, including contact details, should be provided in tender document.
9. Bidder shall have to submit audited accounts (Balance sheet profit and loss account) for financial year 2023-24, 2024-25 and 2025-26. Audited statement must be signed and stamped by qualified chartered accounts.
10. Bidder must submit Income Tax return for assessment year – 2023-24, 2024-25 and 2025-26.
11. Bidder must submit up to date sales tax or GST clearance certificate.
12. CE Certification must be provided for the proposed system. The CE certificate should be provided with the Unit.
13. The Bidder should have supplied similar equipment in Central Universities, preferably in centrally Funded Technical Institutes (IITs, IISC, IISER, NIT). Please provide the details and contact information.
14. Only the Original Equipment Manufacturer or their authorized representatives across the globe shall participate in the bid. “..
15. The order will be placed only on the bidder who participated in the bid.

Section 3 – Terms and Conditions

A) Submission of Tender:

1. All documentations in the tender should be in English.
2. Tender should be submitted in two envelopes (two bid systems).
 - a. Technical Bid (Part-A) – Technical bid consisting of all technical details and check list for conformance to technical specifications.

The technical proposal should contain a technical compliance table with 5 columns.

- i. The first column must list the technical requirements, in the order that they are given in the technical requirement below.
 - ii. The second column should provide specifications of the instrument against the requirement. Please provide quantitative responses wherever possible with technical details in annexure.
 - iii. The third column should describe your compliance with a “Yes” or “No” only. Ensure that the entries in column 2 and column 3 are consistent.
 - iv. The fourth column should state the reasons/explanations/context for deviations, if any.
 - v. The fifth column can contain additional remarks from the Global OEM. You can use this opportunity to highlight technical features, qualify response of previous columns, or provide additional details.
 - b. Commercial Bid (Part-B) – Indicating item wise price for the items mentioned in the technical bid, **as per the format of quotation provided in tender**, and other commercial terms and conditions.
3. The technical bid and price bid should each be placed in separate sealed covers, superscripting on both the envelopes the tender no. and the due date. Both these sealed covers are to be placed in a bigger cover which should also be sealed and duly superscripted with the Tender No, Tender Description& Due Date.
4. The SEALED COVER superscripting tender number / due date & should reach Chairperson Office, Dept of Instrumentation and Applied Physics, Indian Institute of Science, Bangalore – 560012, India on or before due date mentioned in the tender notice. In case due date happens to be holiday the tender will be accepted and opened on the next working day. If the quotation cover is not sealed, it will be rejected.
5. All queries are to be addressed to the person identified in “Section 1 – Bid Schedule” of the tender notice.
6. If price is not quoted in Commercial Bid as per the format provided in tender document the bid is liable to be rejected.

7. The Institute reserves the right to accept or reject any bid and to annul the bidding process and reject all bids at any time prior to the award of contract, without thereby incurring any liability to the affected bidder or bidders or any obligation to inform the affected bidder or bidders.
8. Incomplete bids will be summarily rejected.

B) Cancellation of Tender:

Notwithstanding anything specified in this tender document, IISc Bangalore, in its sole discretion, unconditionally and without having to assign any reason, reserves the rights:

- a. To accept OR reject lowest tender or any other tender or all the tenders.
- b. To accept any tender in full or in part.
- c. To reject the tender, offer not confirming to the tender terms.

C) Validity of the Offer:

The offer shall be valid at least 90 Days from the date of opening of the commercial bid.

D) Evaluation of Offer:

1. The technical bid (Part A) will be opened first and evaluated.
2. Bidders meeting the required eligibility criteria as stated in Section 2 of this document shall only be considered for Commercial Bid (Part B) opening. Further, agencies not furnishing the documentary evidence as required will not be considered.
3. Pre- qualifications of the bidders shall not imply final acceptance of the Commercial Bid. The agency may be rejected at any point during technical evaluation or during commercial evaluation. The decision in regard to acceptance and / or rejection of any offer in part or full shall be the sole discretion of IISc Bangalore, and decision in this regard shall be binding on the bidders.
4. The award of contract will be subject to acceptance of the terms and conditions stated in this tender.
5. Any offer which deviates from the vital conditions (as illustrated below) of the tender is liable to be rejected:
 - a. Non-submission of complete offers.
 - b. Receipt of bids after due date and time and or by email / fax (unless specified otherwise).
 - c. Receipt of bids in open conditions.
6. In case any BIDDER is silent on any clauses mentioned in these tender documents, IISc Bangalore shall consider that the BIDDER had accepted the clauses as of the tender and

no further claim will be entertained. Further if the BIDDER is silent or does not give detail justification of their claim regarding those mentioned in technical specifications, IISc Bangalore reserves the full right to reject the tender due to non-compliance without any further discussion.

7. No revision in the terms and conditions quoted in the offer will be entertained after the last date and time fixed for receipt of tenders.
8. Lowest bid will be calculated based on the total price of all items tendered for Basic equipment along with accessories selected for installation, operation, preprocessing and post processing, optional items, recommended spares, warranty, annual maintenance contract.

E) Pre-requisites:

The bidder will provide the prerequisite installation requirement of the equipment along with the technical bid.

F) Warranty:

The Item is to be under warranty period of minimum 1 year including free supply of consumables, spare parts and data analysis software from the date of functional installation. If the instrument is found to be defective, it must be replaced or rectified at the cost of the bidder within 30 days from the date of receipt of written communications from IISc, Bangalore. If there is any delaying replacement or rectification, the warranty period should be correspondingly extended.

G) Purchase Order:

1. The order will be placed on the bidder whose bid is accepted by IISc based on the terms & conditions mentioned in the tender document.
2. The quantity of the items in tender is only indicative. IISc, Bangalore reserves the right to increase /decrease the quantity of the items depending on the requirement.
3. If the quality of the product and service provided is not found satisfactory, IISc, Bangalore reserves the right to cancel or amend the contract.

H) Delivery, Installation and Training:

The bidder shall provide the lead time to delivery, installation and made functional at IISc, Bangalore from the date of receipt of purchase order. The system should be delivered, installed and made functional **within 180 days** from the date of receipt of purchase order. The supply of the items will be considered as effected only on satisfactory installation and inspection of the system and inspection of all the items and features/capabilities tested by the IISc, Bangalore. After successful installation and inspection, the date of taking over of entire system by the IISc, Bangalore shall be taken as the start of the warranty period. No partial shipment is allowed.

The bidder should also arrange for technical training for the local facility technologists and users.

I) Payment Terms:

The payment will be through a Letter of Credit and milestone of the payment will be determined after the mutual discussions with the successful bidder.

As per GFR no advance payment can be made to domestic vendors unless 110% of bank guarantee is provided.

J) Statutory Variation:

Any statutory increase in the taxes and duties subsequent to bidder's offer, if it takes place within the original contractual delivery date, will be borne by IISc, Bangalore subject to the claim being supported by documentary evidence. However, if any decrease takes place the advantage will have to be passed onto IISc, Bangalore.

K) Disputes and Jurisdiction:

Any legal disputes arising out of any breach of contract pertaining to this tenders hall be settled in the court of competent jurisdiction located within the city of Bangalore, India.

L) General:

1. All amendments, time extension, clarifications etc., within the period of submission of the tender will be communicated electronically. No extension in the bid due date/time shall be considered on account of delay in receipt of any document(s) by mail.
2. The bidder may furnish any additional information, which is necessary to establish capabilities to successfully complete the envisaged work. It is however, advised not to furnish superfluous information.
3. The bidder may visit the installation site before submission of tender, with prior intimation.
4. Any information furnished by the bidder found to be incorrect, either immediately or at a later date, would render the bidder liable to be debarred from tendering/taking up of working IISc, Bangalore.

Section 4 – Technical Specifications

A. Technical Specifications for the Tunable Mid-IR Laser System.

Sl. No	Description	Specification/Details	Essential/Non Essential
1	Minimum tuning range (pulsed operation, all QCLs combined)	7 to 12 microns	Essential
2	Tuning/scanning speed	peak, instantaneous tuning speeds to >30,000 cm ⁻¹ /s	Essential
3	Step and settle time to arbitrary wavelength within specified tuning range	<250 ms	Essential
4	Pulse width	adjustable from 40 ns to 1μs, 20 ns increments	Essential
5	Pulse repetition rate range	adjustable from 100 Hz up to 3 MHz (20 ns clock increments)	Essential
6	Linewidth	<1 cm ⁻¹ (FWHM, pulsed)	Essential
7	Stability	< 3% pk-pk (power, measured over 1 hr); <3% (energy, one standard deviation)	Essential
8	Beam quality	TEM00, ellipticity: < 1.5:1. (> 85% fit to Gaussian - typical)	Essential
9	Beam waist	< 2.5 mm (1/e ² intensity diameter, measured at 4 μm, scales with wavelength)	Essential
10	Beam divergence	< 4 mrad (1/e ² intensity diameter, far-field, measured at 4 μm, scales with wavelength)	Essential
11	Polarization	linear; vertical; > 100:1 (typical)	Essential
12	Min. average power	≤ 30mW	Essential
13	Multi-beam relative bore sighting	all beam centroids coaxial to within 0.5 mm, measured at peak of the tuning range of each laser module, at the output port of the laser and at a distance of 1 meter	Essential

14	Compliance sheet	A compliance sheet as mentioned below must be provided with proper details and supporting documents. All technical documents pre-qualification details and supporting documents should be in the technical bid and not in finance.	Essential
----	------------------	--	-----------

Other requirements:

1.	The system should include required power supply; Compact closed-loop water chiller; Software for running system smoothly; Mid-IR detector compatible with CW or pulsed output.
2.	Should be commercially available system with integrated active beam pointing control to minimize beam pointing change with wavelength
3.	Training and installation: Different options for training and installation by service engineer to be listed and quoted.
4.	The cost of shipping to IISc should be included as an option.
5.	List of acceptance tests for on-site (vendor) inspection and after installation at IISc.
6.	The payment terms: 100% Irrecoverable LC for the imported items 100% of the PO value against 110% BG for Indian supplied system or 100% after installation and commissioning.
7.	Please provide details of the number of trained personnel in India, number in southern region or in Bangalore who can service the instrument.
8.	The system should include required power supply; Compact closed-loop water chiller; Software for running system smoothly; Mid-IR detector compatible with CW or pulsed output.

B. Compliance sheet of the Tunable Mid-IR Laser System.

SL No.	Description	Specification/Details	Essential/Non Essential	Yes/No (to be filled up by the vendor)
1	Minimum tuning range (pulsed operation, all QCLs combined)	7 to 12 microns	Essential	
2	Tuning/scanning speed	peak, instantaneous tuning speeds to >30,000 cm ⁻¹ /s	Essential	
3	Step and settle time to arbitrary wavelength within specified tuning range	<250 ms	Essential	
4	Pulse width	adjustable from 40 ns to 1μs, 20 ns increments	Essential	
5	Pulse repetition rate range	adjustable from 100 Hz MHz (20 ns clock increments)	Essential	
6	Linewidth	<1 cm ⁻¹ (FWHM, pulsed)	Essential	
7	Stability	< 3% pk-pk (power, measured over 1 hr); <3% (energy, one standard deviation)	Essential	
8	Beam quality	TEM00, ellipticity: < 1.5:1. (> 85% fit to Gaussian - typical)	Essential	
9	Beam waist	< 2.5 mm (1/e ² intensity diameter, measured at 4 μm, scales with wavelength)	Essential	
10	Beam divergence	< 4 mrad (1/e ² intensity diameter, far-field, measured at 4 μm, scales with wavelength)	Essential	
11	Polarization	linear; vertical; > 100:1 (typical)	Essential	
12	Min. average power	≤ 30mW	Essential	
13	Multi-beam relative bore sighting	all beam centroids coaxial to within 0.5 mm, measured at peak of the tuning range of each laser module, at the output port of the laser and at a	Essential	

		distance of 1 meter		
14	Details of other purchase order of the same equipment with same technical specifications(planer scanner). The bidder must have supplied similar systems to at least 5 educational institutes/universities and/or research organizations .		Essential. Please attach all the details	
15	2. The Bidder should belong to either class 1 or class 2 supplier distinguished by their “local content” as defined by recent edits to GFR (please refer to annexure 1 atatched). They should mention clearly which class they belong to in the cover letter. a) Class 1 supplier: Goods and services should have local content of equal to or more than 50%. b) Class 2 supplier: Goods and services should have local content of equal to or more than 20 % and less than 50%.		Essential. Please attach all the details.	

16	The bidder should sign and submit the declaration for Acceptance of Terms and Conditions as per -Annexure 4		Essential	
17	The Bidder must not be blacklisted/banned/suspended or have a record of any service-related dispute with any organization in India or elsewhere. A declaration to this effect has to be given as per Annexure 3		Essential	
18	System Catalogue should be produced with the Technical Bid		Essential	
19	Manufacturer should have ISO or equivalent international standard certificate. Please attach the required certificate with the bid.		Essential	
20	1. Bidder shall have to submit audited accounts (Balance sheet profit and loss account) of last three financial year 2023-24, 2024-25 and 2025-26. Audited statement must be signed and stamped by qualified chartered accounted. 2. Bidder must submit Income Tax return for assessment year – 2023-24, 2024-25 and 2025-26. 3. Bidder must submit up to date sales tax or GST clearance certificate.		Essential	
21	CE Certification must be provided for the proposed system. The CE certificate should be provided with the Unit.		Essential	

C. Training and demonstration

- Complete installation of the system needs to be provided.
- Training for users by the company personnel present 'on site' immediately after the installation.
- All pre-installation requirements to have the system installed in ideal room conditions should be included in the quote.

D. Others

- The system with similar specifications must submit references from previous installations.
- The names and contact addresses of the referees must be submitted with the proposal, so the purchase committee can contact them independently.
- The system should require minimal maintenance.
- Mention the recommended preventive maintenance schedule for the system. Any accessories needed for periodic preventive maintenance for 3 years should be mentioned in separately the itemized quote.
- Can the preventive maintenance be done by a trained on-site engineer or requires a specialist from the OEM? If the latter, please provide cost of a 3-year AMC with required kit/consumables.
- **CE Certification must be provided for the proposed system. The CE certificate should be provided with the Unit.**
- Operation Manual to be given after installation and acceptance of equipment
- The system should be supported by a trained local representative (contact details must be shared) and should have a minimum of 72-hour window of response.

Section 5- Technical Bid

The technical bid should furnish all requirements of the tender along with all annexures in this section and be submitted to

The Chairperson,
Attn: Prof.Tapajyoti Dasgupta
Department of Instrumentation and Applied Physics
Indian Institute of Science
Bangalore – 560012,
India

Annexure-1:

Details of the Bidder

The bidder must provide the following mandatory information & attach supporting documents wherever mentioned:

Details of the Bidder

Sl. No	Items	Details
1.	Name of the Bidder	
2.	Nature of Bidder (Attach attested copy of Certificate of Incorporation/ Partnership Deed)	
3.	Registration No/ Trade License, (attach attested copy)	
4.	Registered Office Address	
5.	Address for communication	
6.	Contact person- Name and Designation	
7.	Telephone No	
8.	Email ID	
9.	Website	
10.	PAN No. (attach copy)	
11.	GST No. (attach copy)	

Signature of the Bidder

Name

Designation, Seal

Date:

Annexure-2:

Declaration regarding experience

To,

The Chairperson,
Attn: Prof.Tapajyoti Dasgupta
Department of Instrumentation and Applied Physics
Indian Institute of Science
Bangalore – 560012,
India

Ref: Tender No: IISC/IAP/TDG/GBT-03/26-27.
Dated: 30.06.2026

Supply and Installation of Tunable mid-IR laser system at Laboratory of Advanced Nanostructures for Photonics and Electronics (LANSPE), IAP IISC Bangalore.

Sir,

I've carefully gone through the Terms & Conditions contained in the above-referred tender. I hereby declare that my company/firm has ---- years of experience in supplying and installing Confocal systems

(Signature of the Bidder)
Printed Name
Designation, Seal Date:

Annexure-3:

Declaration regarding track record

To,

The Chairperson,
Attn: Prof. Tapajyoti Dasgupta
Department of Instrumentation and Applied Physics
Indian Institute of Science
Bangalore – 560012,
India

Ref: Tender No: IISC/IAP/TDG/GBT-03/26-27.

Dated: 30.06.2026

Supply and Installation of Tunable mid-IR laser system at Laboratory of Advanced Nanostructures for Photonics and Electronics (LANSPE), IAP IISC Bangalore.

Sir,

I've carefully gone through the Terms & Conditions contained in the above referred tender. I hereby declare that my company/ firm is not currently debarred /blacklisted by any Government / Semi Government organizations / institutions in India or abroad. I further certify that I'm competent officer in my company / firm to make this declaration.

Or

I declare the following.

Sl. No	Country in which the company is Debarred. /blacklisted / case is Pending	Blacklisted / debarred by Government / Semi Government/Organizations /Institutions	Reason	Since when and for how long
--------	--	--	--------	-----------------------------

(NOTE: In case the company / firm was blacklisted previously, please provide the details regarding period for which the company / firm was blacklisted and the reason/s for the same).

Yours faithfully
(Signature of the Bidder)

Name
Designation, Seal

Date:

Annexure – 4:

Declaration for acceptance of terms and conditions

To,

The Chairperson,
Attn: Prof.Tapajyoti Dasgupta
Department of Instrumentation and Applied Physics
Indian Institute of Science
Bangalore – 560012,
India

Ref: Tender No: IISC/IAP/TDG/GBT-03/26-27.

Dated: 30.06.2026

Supply and Installation of Tunable mid-IR laser system at Laboratory of Advanced Nanostructures for Photonics and Electronics (LANSPE), IAP IISC Bangalore.

Sir,

I've carefully gone through the Terms & Conditions as mentioned in the above referred tender document. I declare that all the provisions of this tender document are acceptable to my company. I further certify that I'm an authorized signatory of my company and am, therefore, competent to make this declaration.

Yours faithfully,

(Signature of the Bidder)

Printed Name

Designation, Seal Date:

Annexure – 5:

Details of items quoted:

- a. Company Name
- b. Product Name
- c. Part / Catalogue number
- d. Product description / main features
- e. Detailed technical specifications
- f. Remarks

Instructions to bidders:

1. Bidder should provide technical specifications of the quoted product/s in detail.
2. Bidder should attach product brochures along with technical bid.
3. Bidders should clearly indicate compliance or non-compliance of the technical specifications provided in the tender document.

Section 6 – Commercial Bid

The commercial bid should be furnished with all requirements of the tender with supporting documents as mentioned under:

S.No	Description	Cat. Number	Quantity	Unit Price	Sub total
1.	Essential items noted in the technical specification				
1.a	... (details of essential items)				
1.b	...				
2.	Optional items noted in the technical specification				
2.a	... (details of essential items)				
2.b	...				
3.	Accessories for operation and installation				
4.	All Consumables, spares and software to be supplied locally				
5.	Warranty (1 year)				
6.	AMC 2 years beyond warranty				
7.	Cost of Insurance and Airfreight				
8.	CIP/CIF IISc, Bengaluru				

Any additional items

S.No	Description	Cat. Number	Quantity	Unit Price	Sub total

Addressed to

The Chairperson,
Attn: Prof.Tapajyoti Dasgupta
Department of Instrumentation and Applied Physics
Indian Institute of Science
Bangalore – 560012,
India

Section 7 – Checklist

(This should be enclosed with technical bid- Part A)

The following items must be checked before the Bid is submitted:

1. Sealed Envelope “A”: Technical Bid

1. Section 5- Technical Bid (each page signed by the authorized signatory and sealed) with the below annexures:
 - a. Annexure 1: Bidders details
 - b. Annexure 2: Declaration regarding experience
 - c. Annexure 3: Declaration regarding clean track record
 - d. Annexure 4: Declaration for acceptance of terms and conditions
 - e. Annexure 5: Details of items quoted
2. Copy of this tender document duly signed by the authorized signatory on every page and sealed.

2. Sealed Envelope “B”: Commercial Bid

Section 6: Commercial Bid

Your quotation must be submitted in two envelopes: Technical Bid (Envelope A) and Commercial Bid (Envelope B) super scribing on both the envelopes with Tender No. and due date and both of these in sealed covers and put in a bigger cover which should also be sealed and duly super scribed with Tender No., Tender description & Due Date.